

## **Guaranteed Analysis** #90349

Total Nitrogen (N) 15.0% 15% Urea Nitrogen

Total Sulfur (S)

16.0%

Derived from: Urea Sulfate (49% sulfuric acid)

## **APPLICATION AND USE**

For most vegetable and tree crops: Inject 1 to 3 gallons per acre, every 7 to 21 days with ample irrigation water to ensure movement to root zone. Do not use on stone fruit. Do not apply over foliage when water pH has been reduced below 6.0 without first performing a check as outlined above.

Turfgrass, lawns and fairways: Inject 0.5 to 5 gallons per acre, per application, as needed, based on irrigation suitability tests, or according to recommendations in your nutrient management plan. Typical injection rates are 1 gallon per 5,000 to 20,000 gallons of irrigation water. Exact injection rates should be determined via laboratory tests determining irrigation suitability and/or titration curves using 15/49 as the acidifying agent

**GENERAL INFORMATION:** pHLOW is intended for application through irrigation systems. It may be used to prevent emitter/head clogging and to mitigate high bicarbonate levels in irrigation water.

PRECAUTIONS: Do not breathe mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink, or smoke when using this product. Wear protective gloves/clothing and eye/face protection. Use only outdoors or in a well-ventilated area. Avoid release to the environment. For more details regarding the safe use, handling, storage, and disposal of this product as well as additional hazards and first aid measures, please review the current Safety Data Sheet.

**FIRST AID:** Immediately call Poison Center or doctor/physician if exposed. IF SWALLOWED: Rinse mouth, do NOT induce vomiting. IF ON SKIN/HAIR: Immediately take off all contaminated clothing. Rinse skin with water/shower. IF INHALED: Move person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present. Continue rinsing for at least 15 minutes.

**IN CASE OF FIRE:** Use carbon dioxide, regular dry chemical, regular foam, or water to extinguish.

**STORAGE AND DISPOSAL:** Keep container tightly closed. Store in a locked, well-ventilated cool place, below 110°F, away from direct sunlight. Dispose of in accordance with local, regional, national, and international regulations. Do not contaminate water, food or feed by storage or disposal.

**CONDITIONS OF SALE:** Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than the officer of Seller, is authorized to make any warranty, guarantee, or directions concerning this product. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.



## DANGER

CAUSES SERIOUS EYE
DAMAGE; CAUSES SEVERE
SKIN BURNS AND EYE
DAMAGE; MAY CAUSE
RESPIRATORY IRRITATION;
MAY BE HARMFUL IF
INHALED OR SWALLOWED

Weight per gallon: 12.6 Lbs

Manufactured By: F387

Howard Fertilizer And Chemical Co. Inc. 8306 S. Orange Ave. Orlando, FL 32809

Gator Brand is a registered trademark of Howard Fertilizer and Chemical Co. Inc.

Lot Number	Net Contents	Gal/Liters	
or Niimner	Net Contents	Isal/Liters	